


CONFIGURATOR TOOL-CUSTOMER CONFIGURES A SYSTEM AND GETS PRICING, PARTS, SYSTEM LAYOUT AND ANIMATION OF SYSTEM OPERATION

INTERACTIVE TOOLS AVAILABLE TO CUSTOMERS: TROUBLESHOOTING, LAB TESTS, PERFORMANCE RECORDS AND SYSTEM CONFIGURATOR

REMOTE SERVICE TOOL ALLOWS ENGINEERS TO SERVICE CUSTOMER'S SYSTEM FROM 'M'

Fig. 2A

20






Fig. 2B

SYSTEM CONFIGURATOR:




Fig. 3

LIQUID SYSTEM CONFIGURATOR





Fig. 3A

CONFIGURATOR WIZARD

- STEP #1 HIGH PRESSURE -OR- LOW PRESSURE ☐ HP
 > 100 PSI < 100 PSI ☐ LP
 FLUID PRESSURE FLUID PRESSURE
- STEP #2 ELECTROSTATIC -OR- NON-ELECTROSTATIC ☐ E/S
☐ NON E/S
- STEP #3 MANUAL -OR- AUTOMATIC SYSTEM ☐ MANUAL
☐ AUTOMATIC
- STEP #4 WATER BORNE -OR- SOLVENT BORNE MATERIAL ☐ WATER BORNE
☐ SOLVENT BORNE
- STEP #5 HEATED -OR- NON-HEATED SYSTEM ☐ HEATED
☐ NON-HEATED
- STEP #6 ASSIGN PRIORITIES TO THE FOLLOWING FACTORS 1 - 4 ☐ CAPACITY/THROUGH
☐ TRANSFER EFFICIENCY
☐ FINISH QUALITY
☐ LABOR SAVINGS
- STEP #7 CONFIGURE SYSTEM NOW -OR- MODIFY CHOICES

258

CONFIGURED SYSTEM



MODIFY CHOICES GENERATE BILL OF MATERIALS

BILL OF MATERIALS:

- 1 ELECTROSTATIC SPRAY GUN
- 1 64B 15:1 CORROSION RESISTANT PUMP
- 1 NH4 HEATER
- 1 FLUID FILTER

260

262

QUOTATION AVAILABILITY MODIFY CHOICES

Fig. 3B




Fig. 4




Fig. 5A




Fig. 5B




Fig. 5C